

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 12/01/2023 Supersedes: 10/27/23 Version: 2.1

## SECTION 1: Identification

SECTION 1: Identification	
1.1. Identification	
Product form Trade name Product code Other means of identification	<ul> <li>Mixture</li> <li>Aeriol Thixo#2 Aviation Grease</li> <li>3810-1, 3810-2, 3810-0, 3811-0, 3812-0, 3813-0, 3810-3</li> <li>Bell # C-561</li> </ul>
1.2. Recommended use and restrictions on	ı use
Use of the substance/mixture	: Professional uses Grease Aviation
Restrictions on use	: No additional information available
1.3. Supplier	
Supplier Awsum Outcomes Inc Bay 5, 409 38th Avenue NE Calgary, Alberta, T2E 6R9 Canada T 1 587-353-2000; Toll Free: 1-844-512-4093 info@awsum.global - www.awsum.global	
1.4. Emergency telephone number	
Emergency number	1-888-CANUTEC (226-8832) (North American use) and/or 1-613-996-6666 (International use)
SECTION 2: Hazard(s) identification	
SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mix	ture
	ture
2.1. Classification of the substance or mix	ard Category 3 H402 Harmful to aquatic life
2.1. Classification of the substance or mix GHS US classification Hazardous to the aquatic environment – Acute Hazardous to the aquatic environment – Chronic Hazardou	ard Category 3 H402 Harmful to aquatic life azard Category 3 H412 Harmful to aquatic life with long lasting effects
<ul> <li>2.1. Classification of the substance or mix</li> <li>GHS US classification</li> <li>Hazardous to the aquatic environment – Acute Hazardous to the aquatic environment – Chronic Hazardous to the aquatic environment – Chronic Hazardous to H statements : see section 16</li> <li>2.2. GHS Label elements, including precause</li> <li>GHS US labeling</li> </ul>	ard Category 3 H402 Harmful to aquatic life azard Category 3 H412 Harmful to aquatic life with long lasting effects
<ul> <li>2.1. Classification of the substance or mixed</li> <li>GHS US classification</li> <li>Hazardous to the aquatic environment – Acute Hazardous to the aquatic environment – Chronic Hazardous to the aquatic environment – Chronic Hazardous to H statements : see section 16</li> <li>2.2. GHS Label elements, including precaution</li> </ul>	ard Category 3 H402 Harmful to aquatic life azard Category 3 H412 Harmful to aquatic life with long lasting effects Intionary statements : H402 - Harmful to aquatic life
<ul> <li>2.1. Classification of the substance or mix</li> <li>GHS US classification</li> <li>Hazardous to the aquatic environment – Acute Hazardous to the aquatic environment – Chronic Hazardous to the aquatic environment – Chronic Hazardous to H statements : see section 16</li> <li>2.2. GHS Label elements, including precause</li> <li>GHS US labeling</li> </ul>	ard Category 3 H402 Harmful to aquatic life azard Category 3 H412 Harmful to aquatic life with long lasting effects Itionary statements
<ul> <li>2.1. Classification of the substance or mix</li> <li>GHS US classification</li> <li>Hazardous to the aquatic environment – Acute Hazardous to the aquatic environment – Chronic Hazardous to the aquatic environment – Chronic Hazardous to H statements : see section 16</li> <li>2.2. GHS Label elements, including precaution</li> <li>GHS US labeling</li> <li>Hazard statements (GHS US)</li> </ul>	ard Category 3 H402 Harmful to aquatic life azard Category 3 H412 Harmful to aquatic life with long lasting effects attionary statements : H402 - Harmful to aquatic life H412 - Harmful to aquatic life with long lasting effects : P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
<ul> <li>2.1. Classification of the substance or mix</li> <li>GHS US classification</li> <li>Hazardous to the aquatic environment – Acute Hazardous to the aquatic environment – Chronic Hazardous to the aquatic environment – Chronic Hazardous to H statements : see section 16</li> <li>2.2. GHS Label elements, including precau</li> <li>GHS US labeling</li> <li>Hazard statements (GHS US)</li> <li>Precautionary statements (GHS US)</li> </ul>	ard Category 3 H402 Harmful to aquatic life azard Category 3 H412 Harmful to aquatic life with long lasting effects attionary statements : H402 - Harmful to aquatic life H412 - Harmful to aquatic life with long lasting effects : P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

No additional information available

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# SECTION 3: Composition/Information on ingredients 3.1. Substances Not applicable 3.2. Mixtures Comments : The exact percentage (concentration) in the composition has been withheld as a trade secret in accordance with paragraph (i) of § 1910.1200

Name	Product identifier	% (w/w)	GHS US classification
2,6-di-tert-butyl-p-cresol	CAS-No.: 128-37-0		Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: If medical advice is needed, have product container or label at hand.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: Gently wash with plenty of soap and water. Get medical attention if symptoms occur. Take off contaminated clothing and wash it before reuse.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if symptoms occur. When in doubt or if symptoms are observed, get medical advice.
First-aid measures after ingestion	: Rinse mouth out with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.
4.2. Most important symptoms and ef	fects (acute and delayed)
Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact	<ul> <li>Not expected to present a significant hazard under anticipated conditions of normal use.</li> <li>Repeated or prolonged contact may cause allergic reactions in very susceptible persons.</li> <li>Direct contact with the eyes is likely slightly irritating. Redness. Lacrimation. Itching. Blurred vision.</li> </ul>
Symptoms/effects after ingestion	: Ingestion may cause nausea, vomiting and diarrhea. Abdominal pain.
4.3 Immediate medical attention and	special treatment if percessary

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures		
5.1. Suitable (and unsuitable) extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Use extinguishing agent suitable for surrounding fire.</li><li>Do not use a heavy water stream.</li></ul>	
5.2. Specific hazards arising from the chemical		
Fire hazard Hazardous decomposition products in case of fire	<ul> <li>Presents no particular fire or explosion hazard. Burning produces stinking and toxic fumes.</li> <li>Toxic fumes may be released. Carbon dioxide. Carbon monoxide. Sulfur oxides (SOx). carbonyl halides. Metal oxides.</li> </ul>	

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.3. Special protective equipment and pr	ecautions for fire-fighters
Firefighting instructions	: Evacuate the danger area. Fight fire from safe distance and protected location. Move containers from fire area if it can be done without personal risk. Use extinguishing media appropriate for surrounding fire. Use water spray or fog for cooling exposed containers. Prevent fire-fighting water from entering environment.
Protection during firefighting	<ul> <li>Wear a self contained breathing apparatus. Wear fire/flame resistant/retardant clothing. Do not enter fire area without proper protective equipment, including respiratory protection.</li> </ul>

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
General measures	: Avoid all contact with skin, eyes, or clothing.	
6.1.1. For non-emergency personnel		
Protective equipment	: Wear recommended personal protective equipment.	
Emergency procedures	: Evacuate unnecessary personnel. Ventilate spillage area. Avoid contact with skin and eyes. Do not touch or walk on the spilled product. No action shall be taken without appropriate training or involving any personal risk.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	: Evacuate unnecessary personnel. Avoid breathing (dust, vapor, mist, gas).	
6.2. Environmental precautions		

Avoid release to the environment. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up		
For containment	: Stop leak, if possible without risk. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.	
Methods for cleaning up	: Caution : this product can cause the floor to be slippery. Move containers from spill area. Mechanically recover the product. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). Clean contaminated surfaces with an excess of water. Dispose as hazardous waste.	
Other information	: Dispose of via an authorised person/ licensed waste disposal contractor or by other suitable waste treatment techniques. Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Ensure good ventilation of the work station. Provide local exhaust or general room ventilation. Avoid breathing vapors, mist. Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Empty containers retain product residue and can be hazardous. D not re-use container for any purpose.	
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and wate before eating, drinking or smoking and when leaving work. Wash contaminated clothing before reuse.	

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7.2. Conditions for safe storage, including	ng any incompatibilities
Storage conditions	: Store in dry, cool, well-ventilated area. Keep only in the original container. Keep container tightly closed. Containers which are opened should be properly resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Keep away from food, drink and animal feedingstuffs. Store away from direct sunlight or other heat sources. Refer to Section 10 on Incompatible Materials. Store in accordance with local, regional, national or international regulation.
Incompatible products	: Strong oxidizing agents.

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

Aeriol Thixo#2 Aviation Grease		
No additional information available		
2,6-di-tert-butyl-p-cresol (128-37-0)		
USA - ACGIH - Occupational Exposure Limits		
Local name	Butylated hydroxytoluene	
ACGIH OEL TWA	2 mg/m <sup>3</sup> (IFV - Inhalable fraction and vapor)	
Remark (ACGIH)	TLV® Basis: URT irr. Notations: A4 (Not classifiable as a Human Carcinogen)	
Regulatory reference	ACGIH 2023	
Monitoring methods		
Monitoring methods	Refer to all applicable national, international and local regulations or provisions.	
8.2. Appropriate engineering controls		
Environmental exposure controls :	Handle in accordance with good industrial hygiene and safety procedures. Avoid all unnecessary exposure. Provide local exhaust or general room ventilation. Ensure exposure is below occupational exposure limits (where available). Technical onsite conditions and measures to reduce or limit discharges, air emissions and releases to soil. Avoid release to the environment.	

### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

E.

Wear recommended personal protective equipment. Personal protective equipment should be chosen according to the NIOSH standards and in discussion with the supplier of the protective equipment.

Hand protection:
Chemical resistant gloves (according to NIOSH standard). Please follow the instructions related to the permeability and the penetration time provide by the manufacturer
Eye protection:
Even though no specific eye irritation data are available, wear eye protection appropriate to conditions of use when handling this material
Skin and body protection:
Wear suitable protective clothing. Skin protection appropriate to the conditions of use should be provided

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **Respiratory protection:**

Where excessive vapor, mist, or dust may result, use approved respiratory protection equipment. All respirators must conform to specifications for efficiency and performance indicated by OSHA Standard 29 CFR 1910.134 and NIOSH Standards

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Paste. Grease.
Color	: brown
Odor	: mild petroleum-like odor
Odor threshold	: No data available
pH	: No data available
Melting point	: 300 °C (572 °F)
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 215 °C (419 °F, closed cup)
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: 0 kPa (20 °C, 68 °F)
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Density	: 0.95 – 1.05 g/cm <sup>3</sup> (25 °C, 77 °F)
Solubility	: Water: Negligible
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

#### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### **10.2. Chemical stability**

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

No dangerous reactions known. Hazardous polymerization: Will not occur.

## 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **10.5. Incompatible materials**

Strong oxidizing agents.

**10.6. Hazardous decomposition products** 

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11.1. Information on toxicological ef	fects
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
2,6-di-tert-butyl-p-cresol (128-37-0)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Symptoms/effects after inhalation	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after skin contact	: Repeated or prolonged contact may cause allergic reactions in very susceptible persons.
Symptoms/effects after eye contact	Direct contact with the eyes is likely slightly irritating. Redness. Lacrimation. Itching. Blurred vision.
Symptoms/effects after ingestion	: Ingestion may cause nausea, vomiting and diarrhea. Abdominal pain.
Symptoms/effects after ingestion Other information	<ul> <li>Ingestion may cause nausea, vomiting and diarrhea. Abdominal pain.</li> <li>No experimental study on the product is available. The information given is based on our</li> </ul>

SECTION 12: Ecological information
12.1. Toxicity

Ecology - general

: Harmful to aquatic life with long lasting effects. Do not allow product to spread into the environment.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.2. Persistence and degradability		
Aeriol Thixo#2 Aviation Grease		
Persistence and degradability	Biodegradability in water: no data available.	
12.3. Bioaccumulative potential		
Aeriol Thixo#2 Aviation Grease		
Bioaccumulative potential	No data available concerning bioaccumulation.	
12.4. Mobility in soil		
Aeriol Thixo#2 Aviation Grease		
Ecology - soil	No additional information available.	
12.5. Other adverse effects		
Other adverse effects :	No additional information available.	

## **SECTION 13: Disposal considerations**

13.1. Disposal methods	
Waste treatment methods Product/Packaging disposal recommendations	<ul> <li>Dispose of contents/container in accordance with licensed collector's sorting instructions.</li> <li>Dispose in a safe manner in accordance with local/national regulations.</li> </ul>
Ecology - waste materials	: Avoid release to the environment.

## **SECTION 14: Transport information**

In accordance with DOT / TDG / IMDG / IATA

## 14.1. UN number

Not regulated for transport

14.2. UN proper shipping name	
Proper Shipping Name (DOT) Proper Shipping Name (TDG) Proper Shipping Name (IMDG) Proper Shipping Name (IATA)	<ul> <li>Not regulated</li> <li>Not regulated</li> <li>Not regulated</li> <li>Not regulated</li> </ul>
14.3. Transport hazard class(es)	
DOT Transport hazard class(es) (DOT) TDG Transport hazard class(es) (TDG) IMDG Transport hazard class(es) (IMDG) IATA Transport hazard class(es) (IATA)	<ul> <li>Not regulated</li> <li>Not regulated</li> <li>Not regulated</li> <li>Not regulated</li> </ul>
14.4. Packing group	
Packing group (DOT) Packing group (TDG)	: Not regulated : Not regulated

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Packing group (IMDG)	: Not regulated
Packing group (IATA)	: Not regulated
14.5. Environmental hazards	
Other information	: No supplementary information available.
14.6. Special precautions for use	er
DOT	
Not regulated	
TDG	
Not regulated	
IMDG	
Not regulated	
ΙΑΤΑ	
Not regulated	

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

**15.2. International regulations** 

#### CANADA

2,6-di-tert-butyl-p-cresol (128-37-0)

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

No additional information available

#### National regulations

2,6-di-tert-butyl-p-cresol (128-37-0)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

## 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

## SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations		
Revision date	: 12/01/2023	
Data sources	: Supplier's safety documents. ECHA (European Chemicals Agency).	
Training advice	: Training staff on good practice.	

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases	
H400	Very toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

## Indication of changes:

Sections 1-16.

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.