

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 01/23/2024 Version: 1.0

SECTION 1: Identification

1.1. Identification

Product form : Grease

Trade name : Aviation Thixo EP2

Product code : 3810-2, 3810-3, 3811-0, 3812-0, 3813-0

Other means of identification : Bell # C-561

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Professional uses

Grease Aviation

Restrictions on use : No additional information available

1.3. Supplier

Supplier

Awsum Outcomes Inc Bay 5, 409 38th Avenue NE Calgary, Alberta, T2E 6R9

Canada

T 1 587-353-2000; Toll Free: 1-844-512-4093 <u>info@awsum.global</u> - <u>www.awsum.global</u>

1.4. Emergency telephone number

Emergency number : Toll Free 1-844-512-4093 M-F 8 am-4 pm (English only)

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Hazardous to the aquatic environment – Acute Hazard Category 3 H402 Harmful to aquatic life

Hazardous to the aquatic environment - Chronic Hazard Category 3 H412 Harmful to aquatic life with long lasting effects

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard statements (GHS US) : H402 - Harmful to aquatic life

H412 - Harmful to aquatic life with long lasting effects

Precautionary statements (GHS US) : P273 - Avoid release to the environment.

 $P501 - Dispose \ of \ contents/container \ to \ a \ collection \ point, \ in \ accordance \ with \ local, \ regional,$

national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments

The exact percentage (concentration) in the composition has been withheld as a trade secret in accordance with paragraph (i) of § 1910.1200

Name	Product identifier	% (w/w)	GHS US classification
2,6-di-tert-butyl-p-cresol	CAS-No.: 128-37-0		Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of hazard classes and H-statements: see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general

: If medical advice is needed, have product container or label at hand.

First-aid measures after inhalation

Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if

you feel unwell.

First-aid measures after skin contact

Gently wash with plenty of soap and water. Get medical attention if symptoms occur. Take off

contaminated clothing and wash it before reuse.

First-aid measures after eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if symptoms occur. When in doubt or if symptoms are

observed, get medical advice.

First-aid measures after ingestion

Rinse mouth out with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation

: Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact Symptoms/effects after eye contact

Repeated or prolonged contact may cause allergic reactions in very susceptible persons. Direct contact with the eyes is likely slightly irritating. Redness. Lacrimation. Itching. Blurred

Symptoms/effects after ingestion

: Ingestion may cause nausea, vomiting and diarrhea. Abdominal pain.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media

: Use extinguishing agent suitable for surrounding fire.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard

: Presents no particular fire or explosion hazard. Burning produces stinking and toxic fumes.

Hazardous decomposition products in case of fire

Toxic fumes may be released. Carbon dioxide. Carbon monoxide. Sulfur oxides (SOx). carbonyl halides. Metal oxides.

01/23/2024 (Issue date) US - en 2/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions

: Evacuate the danger area. Fight fire from safe distance and protected location. Move containers from fire area if it can be done without personal risk. Use extinguishing media appropriate for surrounding fire. Use water spray or fog for cooling exposed containers. Prevent fire-fighting water from entering environment.

Protection during firefighting

: Wear a self contained breathing apparatus. Wear fire/flame resistant/retardant clothing. Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid all contact with skin, eyes, or clothing.

6.1.1. For non-emergency personnel

Protective equipment

: Wear recommended personal protective equipment.

Emergency procedures

Evacuate unnecessary personnel. Ventilate spillage area. Avoid contact with skin and eyes. Do not touch or walk on the spilled product. No action shall be taken without appropriate training or involving any personal risk.

6.1.2. For emergency responders

Protective equipment

Emergency procedures

 $: \ \, \text{Do not attempt to take action without suitable protective equipment. For further information refer}$

to section 8: "Exposure controls/personal protection".

: Evacuate unnecessary personnel. Avoid breathing (dust, vapor, mist, gas).

6.2. Environmental precautions

Avoid release to the environment. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment

: Stop leak, if possible without risk. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for cleaning up

: Caution: this product can cause the floor to be slippery. Move containers from spill area.

Mechanically recover the product. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). Clean contaminated surfaces with an excess of water.

Dispose as hazardous waste.

Other information

: Dispose of via an authorised person/ licensed waste disposal contractor or by other suitable waste treatment techniques. Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Ensure good ventilation of the work station. Provide local exhaust or general room ventilation. Avoid breathing vapors, mist. Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Empty containers retain product residue and can be hazardous. Do not re-use container for any purpose.

Hygiene measures

: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash contaminated clothing before reuse.

01/23/2024 (Issue date) US - en 3/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Store in dry, cool, well-ventilated area. Keep only in the original container. Keep container tightly closed. Containers which are opened should be properly resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Keep away from food, drink and animal feedingstuffs. Store away from direct sunlight or other heat sources. Refer to Section 10 on Incompatible Materials. Store in accordance with local, regional, national or international regulation.

Incompatible products : Strong oxidizing agents.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Aviation Thixo EP2		
No additional information available		
2,6-di-tert-butyl-p-cresol (128-37-0)		
USA - ACGIH - Occupational Exposure Limits		
Local name	Butylated hydroxytoluene	
ACGIH OEL TWA	2 mg/m³ (IFV - Inhalable fraction and vapor)	
Remark (ACGIH)	TLV® Basis: URT irr. Notations: A4 (Not classifiable as a Human Carcinogen)	
Regulatory reference	ACGIH 2023	
Monitoring methods		
Monitoring methods	Refer to all applicable national, international and local regulations or provisions.	

8.2. Appropriate engineering controls

Appropriate engineering controls

- : Handle in accordance with good industrial hygiene and safety procedures. Avoid all unnecessary exposure. Provide local exhaust or general room ventilation. Ensure exposure is below occupational exposure limits (where available).
- Environmental exposure controls
- Technical onsite conditions and measures to reduce or limit discharges, air emissions and releases to soil. Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment. Personal protective equipment should be chosen according to the NIOSH standards and in discussion with the supplier of the protective equipment.

Hand protection:

Chemical resistant gloves (according to NIOSH standard). Please follow the instructions related to the permeability and the penetration time provided by the manufacturer

Eye protection:

Even though no specific eye irritation data are available, wear eye protection appropriate to conditions of use when handling this material

Skin and body protection:

Wear suitable protective clothing. Skin protection appropriate to the conditions of use should be provided

Respiratory protection:

Where excessive vapor, mist, or dust may result, use approved respiratory protection equipment. All respirators must conform to specifications for efficiency and performance indicated by OSHA Standard 29 CFR 1910.134 and NIOSH Standards

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Paste. Grease.

Color : brown

 Odor
 : mild petroleum-like odor

 Odor threshold
 : No data available

 pH
 : No data available

 Melting point
 : 308 °C (586 °F)

 Freezing point
 : > -20 °C (> -4 °F)

 Boiling point
 : 370 °C (698 °F)

Flash point : 255 °C (491 °F, closed cup)

Relative evaporation rate (butyl acetate=1)

Flammability (solid, gas)

Vapor pressure

Relative vapor density at 20°C

Relative density

Density

Colubility

Relative evaporation rate (butyl acetate=1)

Rot available

No data available

1.15 g/cm³ (20 °C, 68 °F)

Solubility Not miscible in water Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : > 315 °C (> 599 °F) Decomposition temperature : No data available No data available Viscosity, kinematic Viscosity, dynamic No data available **Explosion limits** No data available Explosive properties No data available Oxidizing properties No data available

9.2. Other information

Additional information : Viscosity, apparent: 485 P (0 °C, 32 °F, 200 s⁻¹, Poise)

Additional information : Organic solvent: 0.5 %

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

No dangerous reactions known. Hazardous polymerization: Will not occur.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 11: Toxicological information

11.1. Information on toxicological effects

: Not classified Acute toxicity (oral) Acute toxicity (dermal) Not classified Acute toxicity (inhalation) Not classified Skin corrosion/irritation : Not classified : Not classified Serious eye damage/irritation Respiratory or skin sensitization Not classified Germ cell mutagenicity Not classified Carcinogenicity : Not classified

2,6-di-tert-butyl-p-cresol (128-37-0)

IARC group 3 - Not classifiable

Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified Viscosity, kinematic : No data available

Symptoms/effects after inhalation : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact : Repeated or prolonged contact may cause allergic reactions in very susceptible persons.

Symptoms/effects after eye contact : Direct contact with the eyes is likely slightly irritating. Redness. Lacrimation. Itching. Blurred vision.

Symptoms/effects after ingestion : Ingestion may cause nausea, vomiting and diarrhea. Abdominal pain.

Other information : No experimental study on the product is available. The information given is based on our

knowledge of the components and the classification of the product is determined by calculation.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects. Do not allow product to spread into the

environment.

12.2. Persistence and degradability

		_			
AVI	ıatıo	n I	hix	\mathbf{c}	FP2

Persistence and degradability Biodegradability in water: D1264 – Water Washout – 1.28 % loss (79 °C, 175 °F)

2,6-di-tert-butyl-p-cresol (128-37-0)

Persistence and degradability Rapidly degradable

12.3. Bioaccumulative potential

Aviation Thixo EP2

Bioaccumulative potential No data available concerning bioaccumulation.

12.4. Mobility in soil

Aviation Thixo EP2

Ecology - soil No additional information available.

01/23/2024 (Issue date) US - en 6/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.5. Other adverse effects

Other adverse effects : No additional information available.

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Not regulated Proper Shipping Name (TDG) : Not regulated Proper Shipping Name (IMDG) : Not regulated Proper Shipping Name (IATA) : Not regulated

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : Not regulated

TDG

Transport hazard class(es) (TDG) : Not regulated

IMDG

Transport hazard class(es) (IMDG) : Not regulated

IATA

Transport hazard class(es) (IATA) : Not regulated

14.4. Packing group

Packing group (DOT) : Not regulated Packing group (TDG) : Not regulated Packing group (IMDG) : Not regulated Packing group (IATA) : Not regulated

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

DOT

Not regulated

TDG

Not regulated

IMDG

Not regulated

01/23/2024 (Issue date) US - en 7/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

IATA

Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

CANADA

2,6-di-tert-butyl-p-cresol (128-37-0)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

2,6-di-tert-butyl-p-cresol (128-37-0)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date : 01/23/2024

Data sources : Supplier's safety documents. ECHA (European Chemicals Agency).

Training advice : Training staff on good practice.

Other information : SDS prepared by. H2 Compliance.

Full text of H-phrases		
H400	Very toxic to aquatic life	
H402	Harmful to aquatic life	
H410	Very toxic to aquatic life with long lasting effects	
H412	Harmful to aquatic life with long lasting effects	

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.