

### SECTION 1: Identification

#### 1.1. Product identifier

Product form : Mixture  
Trade name : HDL90  
Product code : 3104-300-24, 3104-1-12, 3104-4-4, 3104-10-1, 3104-20-1, 3104-205-1

#### 1.2. Recommended use and restrictions on use

Recommended use : Diesel, gas and gear oil additive  
Restrictions on use : No additional information available

#### 1.3. Supplier

##### Supplier

Awsun Outcomes Inc  
Bay 5, 409 38th Avenue NE  
Calgary, Alberta, T2E 6R9  
Canada  
T 1 587-353-2000; Toll Free: 1-844-512-4093  
[info@awsum.global](mailto:info@awsum.global) - [www.awsum.global](http://www.awsum.global)

#### 1.4. Emergency telephone number

Emergency number : Toll Free 1-844-512-4093 M-F 8 am-4 pm (English only)

### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture

##### Classification (GHS CA)

Not classified

#### 2.2. GHS Label elements, including precautionary statements

##### GHS CA labeling

No labeling applicable

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS CA)

No additional information available

### SECTION 3: Composition/Information on ingredients

#### 3.1. Substances

Not applicable

# HDL90

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### 3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	% (w/w)	Classification (GHS CA)
Alkanes, C24-28, chloro	-	CAS-No.: 1402738-52-6	20 – 40	Not classified
Distillates (petroleum), hydrotreated light naphthenic	Distillates (petroleum), hydrotreated light naphthenic, Baseoil - unspecified, [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C15 through C30 and produces a finished oil with a viscosity of less than 100 SUS at 100 °F (19cSt at 40 °C). It contains relatively few normal paraffins.]	CAS-No.: 64742-53-6	20 – 40	Asp. Tox. 1, H304
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based Baseoil - unspecified	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based, Baseoil - unspecified, [A complex combination of hydrocarbons obtained by treating light vacuum gas oil and heavy vacuum gas oil with hydrogen in the presence of a catalyst in a two stage process with dewaxing being carried out between the two stages. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C15 through C30 and produces a finished oil having a viscosity of approximately 15cSt at 40 °C. It contains a relatively large proportion of saturated hydrocabons.]	CAS-No.: 72623-86-0	10 – 30	Asp. Tox. 1, H304
Distillates (petroleum), solvent-dewaxed heavy paraffinic Baseoil - unspecified	Distillates (petroleum), solvent-dewaxed heavy paraffinic, Baseoil - unspecified, [A complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil with a viscosity not less than 100 SUS at 100 °F (19cSt at 40 °C).]	CAS-No.: 64742-65-0	1 – 5	Asp. Tox. 1, H304
Distillates (petroleum), solvent-dewaxed light paraffinic Baseoil - unspecified	Distillates (petroleum), solvent-dewaxed light paraffinic, Baseoil - unspecified, [A complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C15 through C30 and produces a finished oil with a viscosity of less than 100 SUS at 100 °F (19cSt at 40 °C).]	CAS-No.: 64742-56-9	1 – 5	Asp. Tox. 1, H304

Comments

: The exact percentage (concentration) in the composition has been withheld as a trade secret in accordance with the amended HPR as of April 2018

# HDL90

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### SECTION 4: First-aid measures

#### 4.1. Description of first aid measures

First-aid measures after inhalation	: If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Wash skin thoroughly with mild soap and water. Take off contaminated clothing and wash it before reuse. Get medical attention if symptoms occur.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if symptoms occur.
First-aid measures after ingestion	: Do not induce vomiting. Rinse mouth out with water. Get medical advice/attention if you feel unwell.

#### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation	: At high concentrations, the vapors can be irritating to the respiratory system.
Symptoms/effects after skin contact	: Rednesses. Itching. Swelling.
Symptoms/effects after eye contact	: Blurred vision. Redness, itching, tears.
Symptoms/effects after ingestion	: Abdominal pain, nausea.

#### 4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment	: Treat symptomatically. Keep under medical supervision for at least 48 hours.
-----------------------------------	--

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable extinguishing media

Suitable extinguishing media	: Dry powder. Carbon dioxide. Water spray. Foam. Use extinguishing agent suitable for surrounding fire.
------------------------------	---

#### 5.2. Unsuitable extinguishing media

Unsuitable extinguishing media	: Do not use a heavy water stream.
--------------------------------	------------------------------------

#### 5.3. Specific hazards arising from the hazardous product

Fire hazard	: Presents no particular fire or explosion hazard. Burning produces stinking and toxic fumes. In case of fire and/or explosion do not breathe fumes.
Hazardous decomposition products in case of fire	: Toxic fumes may be released. Carbon dioxide. Carbon monoxide. Carbonyl halides.

#### 5.4. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Evacuate the danger area. Move containers from fire area if it can be done without personal risk. Use water spray or fog for cooling exposed containers. Fight fire from safe distance and protected location. Use extinguishing media appropriate for surrounding fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Wear a self contained breathing apparatus. Wear fire/flame resistant/retardant clothing. Do not attempt to take action without suitable protective equipment.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Avoid all contact with skin, eyes, or clothing.
------------------	---

# HDL90

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### 6.2. Methods and materials for containment and cleaning up

- For containment : Stop leak, if possible without risk. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Caution : this product can cause the floor to be slippery.
- Methods for cleaning up : Move containers from spill area. Recover small spills with a suitable absorbent, like diatomaceous earth. For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal. Ventilate spillage area. Clean contaminated surfaces with an excess of water. Prevent entry to sewers and public waters.
- Other information : Dispose of via an authorised person/ licensed waste disposal contractor or by other suitable waste treatment techniques. Dispose of materials or solid residues at an authorized site.

### 6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Ensure good ventilation of the work station. Provide local exhaust or general room ventilation. Do not breathe vapors. Wear personal protective equipment. Do not get in eyes, on skin, or on clothing.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Strong oxidizers, Store in a dry place. Keep away from food, drink and animal feed. Keep container tightly closed. Containers which are opened should be properly resealed and kept upright to prevent leakage. Store in accordance with local, regional, national or international regulation.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Appropriate engineering controls

- Appropriate engineering controls : Provide local exhaust or general room ventilation. Ensure exposure is below occupational exposure limits (where available). Handle in accordance with good industrial hygiene and safety procedures. Avoid all unnecessary exposure. Avoid contact during pregnancy/while nursing.
- Environmental exposure controls : Avoid release to the environment. Technical onsite conditions and measures to reduce or limit discharges, air emissions and releases to soil.

### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Wear recommended personal protective equipment. Personal protective equipment should be chosen according to the NIOSH standards and in discussion with the supplier of the protective equipment.

# HDL90

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### Hand protection:

Wear suitable gloves resistant to chemical penetration. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer

### Eye protection:

Chemical goggles or safety glasses

### Skin and body protection:

Wear suitable protective clothing. Skin protection appropriate to the conditions of use should be provided

### Respiratory protection:

Where excessive vapor, mist, or dust may result, use approved respiratory protection equipment

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: No data available
Color	: Golden clear
Odor	: Vanilla
Odor threshold	: No data available
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 202 °C (395.6 °F, open cup)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Density	: 0.9935 g/cm <sup>3</sup> (15 °C, 59 °F)
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: 82.31 mm <sup>2</sup> /s (40 °C, 104 °F) (9.85 mm <sup>2</sup> /s, 100 °C, 212 °F)
Explosion limits	: No data available

### 9.2. Other information

Other properties	: Pour point: -30 °C (-22 °F). Fire Pt: 214 °C (417.2 °F). TAN Acid: 1.39. Solids: none. Rust Prevention: pass. Copper Corrosion: 1A Shiny. Elastomer: pass. Foaming: pass. Four ball wear: 0.66 mm. Sulphated ash: 0.00 %. Viscosity Index: 98.
------------------	--

## SECTION 10: Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport. No dangerous reactions known.
Chemical stability	: Stable under normal conditions of use.

# HDL90

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use. Hazardous polymerization: Will not occur.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7). Protect from sunlight. Overheating. Extremely high or low temperatures.
Incompatible materials	: Oxidising agents.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hardening time:	: No additional information available

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified.

<b>HDL90</b>	
Viscosity, kinematic	82.31 mm <sup>2</sup> /s (40 °C, 104 °F) (9.85 mm <sup>2</sup> /s, 100 °C, 212 °F)
Symptoms/effects after inhalation	: At high concentrations, the vapors can be irritating to the respiratory system.
Symptoms/effects after skin contact	: Rednesses. Itching. Swelling.
Symptoms/effects after eye contact	: Blurred vision. Redness, itching, tears.
Symptoms/effects after ingestion	: Abdominal pain, nausea.
Other information	: No experimental study on the product is available. The information given is based on our knowledge of the components and the classification of the product is determined by calculation.

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

### 12.2. Persistence and degradability

<b>HDL90</b>	
Persistence and degradability	Biodegradability in water: no data available.

### 12.3. Bioaccumulative potential

<b>HDL90</b>	
Bioaccumulative potential	No data available concerning bioaccumulation.

# HDL90

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### 12.4. Mobility in soil

#### HDL90

Ecology - soil	No additional information available.
----------------	--------------------------------------

### 12.5. Other adverse effects

Ozone : Not classified  
Other adverse effects : No additional information available.

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
Sewage disposal recommendations : Do not dispose of waste into sewer.  
Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.  
Ecological waste information : Avoid release to the environment.

## SECTION 14: Transport information

In accordance with TDG / DOT / IMDG / IATA

### 14.1. UN number

Not regulated for transport

### 14.2. UN proper shipping name

Proper Shipping Name (TDG) : Not regulated  
Proper Shipping Name (DOT) : Not regulated  
Proper Shipping Name (IMDG) : Not regulated  
Proper Shipping Name (IATA) : Not regulated

### 14.3. Transport hazard class(es)

**TDG**  
Transport hazard class(es) (TDG) : Not regulated

**DOT**  
Transport hazard class(es) (DOT) : Not regulated

**IMDG**  
Transport hazard class(es) (IMDG) : Not regulated

**IATA**  
Transport hazard class(es) (IATA) : Not regulated

### 14.4. Packing group

Packing group (TDG) : Not regulated  
Packing group (DOT) : Not regulated  
Packing group (IMDG) : Not regulated  
Packing group (IATA) : Not regulated

### 14.5. Environmental hazards

Other information : No supplementary information available.

# HDL90

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### 14.6. Special precautions for user

#### TDG

Not regulated

#### DOT

Not regulated

#### IMDG

Not regulated

#### IATA

Not regulated

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. National regulations

#### Alkanes, C24-28, chloro (1402738-52-6)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

#### Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)

Listed on the Canadian DSL (Domestic Substances List)

#### Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based Baseoil - unspecified (72623-86-0)

Listed on the Canadian DSL (Domestic Substances List)

#### Distillates (petroleum), solvent-dewaxed heavy paraffinic Baseoil - unspecified (64742-65-0)

Listed on the Canadian DSL (Domestic Substances List)

#### Distillates (petroleum), solvent-dewaxed light paraffinic Baseoil - unspecified (64742-56-9)

Listed on the Canadian DSL (Domestic Substances List)

### 15.2. International regulations

#### Alkanes, C24-28, chloro (1402738-52-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

#### Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

#### Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based Baseoil - unspecified (72623-86-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active  
Listed on INSQ (Mexican National Inventory of Chemical Substances)



# HDL90

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### Distillates (petroleum), solvent-dewaxed heavy paraffinic Baseoil - unspecified (64742-65-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

### Distillates (petroleum), solvent-dewaxed light paraffinic Baseoil - unspecified (64742-56-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

## SECTION 16: Other information

Issue date : 12-06-2024

Data sources : Supplier's safety documents.

Training advice : Training staff on good practice.

### Full text of hazard classes and H-statements:

H304	May be fatal if swallowed and enters airways
------	--

Safety Data Sheet (SDS), Canada

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.